Ecardmodels Paper Model

Electronic Download

Exclusive







Rail Series #1

Ch52 Built by SKODA DC Electric Locomotive

Russia-Ukraine

www.ecardmodels.com
© 2012 ecardmodels.com All rights reserved

Legend:

- * glue 250 g\m2 paper
- impregnated "superglue"



Recommendations for the assembly of the model: The assembly is divided into five sections: 1.FRAMEWORK - "FR"


- 2.BOOTH "B"
- 3.CORPS "C"
- 4.EQUIPMENT ON THE ROOF- "ER"
- 5.WORKING PART "WP"


The assembly recommended produced in the same order. During assembly, the following materials: Patterns (paper 250 g \mbox{m}) wires of different thickness (the thickness according to the templates), clear plastic from packages for simulation glasses (dimensions according to the templates).


All visible ends is recommended to paint a black marker. The upper rod, runners fixative rods, the axes of the lower rod current collectors, electrical conductors, insulator pins, rails, brake valves (T-11, T-12, T-15, T 10, T-17, T-18, T-19 T-16, T-29), which are made of wire, it is recommended to paint in red oil or acrylic paint.

Brake hoses, sand feeders, uncouple levers, sleeves heating pinches, controller (T-5, T-7, T-8, T-4, T-6, T-27, T-28), which are made of wire, it is recommended painted in black acrylic paint or lubricant.

Holders of antennas, connectors and beam trolley base, roofing bumpers (T-20, T-9, T-30), which are made of wire, recommended painted in gray color of the lubricant or acrylic paint. All rail (T-1, T-2, T-3), which are made of wire, it is recommended to paint white acrylic paint or lubricant.







Pantograph

